

Bubbler Classic 4x9 lt, plastic, R134a



**Ref: CCCRKD
(CCCRKD)**

Cold beverages dispenser, Classic Bubbler 4x9 liters bowls, with plastic panels

General Features

MINI Q is a cold drink dispenser, compact size, with 4x9 litres capacity tanks.

The machine cools and dispenses ready-made drinks to be poured inside the bowl such as fresh juices, teas, cocktails, water etc..

The unique evaporator and the high efficiency pump cool faster and more efficiently for a quick start-up. The superior engineering ensures a perfect temperature from the first to the last drop of dispensed product.

Two-piece stainless steel dripless pouring valves are easy to use and clean. Suitable for cups up to 20 cm height.

Drinks stirring by a magnetic submerged impeller. Agitators are provided with each unit, including the accessory for the spectacular fountain effect.

Side panels are in plastic.

OPTIONALS AVAILABLE:

- VALVE CAP: Improves sealing of valve when using pulpy product
- LOW FOAM IMPELLER: ideal for iced teas and milk based drinks to minimize foaming"

CCCRKD

CRATHCO

Bubbler Classic 4x9 lt, plastic, R134a

Specifications

- Appealing cold drink dispenser equipped with 2 bowls, 9 litres each
- Appealing cold drink dispenser equipped with 4 bowls, 9 litres each

Construction

- Pre-mix dispenser with stainless steel base and clear plastic bowls
- The unique evaporator and the high efficiency pump cool faster and more efficiently for a quick start-up
- Two-piece stainless steel dripless pouring valves are easy to use and clean
- Magnetic submerged impeller



FOODSERVICE EQUIPMENT, SERVICE, PARTS,
ACCESSORIES, & CONSUMABLES

9705 Kamagong St., San Antonio Village, Makati City

(632) 8897 1569 [hkrequirementcorp.ph](mailto:sales@hkr.com.ph) [hkrequirementcorp](http://www.hkr.com.ph)
sales@hkr.com.ph [hkr-equipmentcorporation](http://www.hkr.com.ph) www.hkr.com.ph

CRATHCO

www.crathco.drink-systems.com
infocrathco@electroluxprofessional.com

Bubbler Classic 4x9 lt, plastic, R134a

Electric

Supply voltage:	220-240 V / 1N ph / 50 Hz
Electrical power max.:	0.69 kW
Current consumption:	3 Amps
Plug type:	

Key Information:

Number of bowls:	4
Bowl's capacity:	9 lt
Control board:	Mechanical
Dimensions, Width:	510 mm
Dimensions, Depth:	410 mm
Dimensions, Height:	690 mm
Net weight:	38.26 kg

Refrigeration Data

Refrigerant gas:	R134a
------------------	-------

Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.05.31

CRATHCO

www.crathco.drink-systems.com
infocrathco@electroluxprofessional.com