

# robot coupe®



## IMMERSION BLENDERS



**HKR EQUIPMENT  
CORPORATION**

FOODSERVICE EQUIPMENT, SERVICE, PARTS,  
ACCESSORIES, & CONSUMABLES

9705 Kamagong St., San Antonio Village, Makati City

(632) 8897 1569

 [hkcrequipmentcorp](https://www.facebook.com/hkrequipmentcorp)

 [hkcrequipmentcorp](https://www.instagram.com/hkrequipmentcorp)

 [sales@hkr.com.ph](mailto:sales@hkr.com.ph)

 [hkr-equipmentcorporation](https://www.hkr.com.ph)

 [www.hkr.com.ph](https://www.hkr.com.ph)



**RESTAURANTS - CATERERS - DELICATESSENS**

## COMPACT

### MINI

#### ▶ Mini MP



MicroMix

Mini MP 160 V.V.  
Mini MP 190 V.V.  
Mini MP 240 V.V.

For handling smaller quantities

2 000 to 12 500 rpm

#### ▶ CMP

##### NEW



CMP 250 V.V.  
CMP 300 V.V.  
CMP 350 V.V.  
CMP 400 V.V.

15 litres 30 litres 45 litres 73 litres

2 300 to 9 600 rpm

#### ▶ MP Ultra

##### NEW



MP 350 Ultra  
MP 450 Ultra  
MP 550 Ultra

50 litres 100 litres 200 litres

MP 350/MP 450 : 9 500 rpm  
MP 350 V.V./MP 450 V.V. : 1 500 to 9 000 rpm


9 000 rpm

▶ Special for emulsions


▶ For handling smaller quantities

▶ Special catering models up to 73 litres


▶ Specially designed / commercial catering



MicroMix Mini MP



CMP



MP Ultra



# COMBI

▶ Mini MP - CMP - MP Ultra - MP FW Ultra

| 1000 W                                                                           |                                                                                    | 270 W                                                                              |                                                                                    | 290 W                                                                              |                                                                                    | 310 W                                                                               |                                                                                      | 350 W                                                                                |  | 440 W |  | 500 W |  | 500 W |  |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|-------|--|-------|--|-------|--|
|  |  |  |  |  |  |  |  |  |  |       |  |       |  |       |  |
| MP 600 Ultra                                                                     | MP 800 Turbo                                                                       | Mini MP 190 Combi                                                                  | Mini MP 240 Combi                                                                  | CMP 250 Combi                                                                      | CMP 300 Combi                                                                      | MP 350 Combi Ultra                                                                  | MP 450 Combi Ultra                                                                   | MP 450 FW Ultra                                                                      |  |       |  |       |  |       |  |
| 300 litres                                                                       | 400 litres                                                                         | For handling smaller quantities                                                    |                                                                                    | 15 litres                                                                          | 30 litres                                                                          | 50 litres                                                                           | 100 litres                                                                           | 100 litres                                                                           |  |       |  |       |  |       |  |
| 9 500 rpm                                                                        | 9 500 rpm                                                                          | Mixer: 2 000 to 12 500 rpm<br>Whisk: 350 to 1 560 rpm                              |                                                                                    | Mixer: 2 300 to 9 600 rpm<br>Whisk: 500 to 1 800 rpm                               |                                                                                    | Mixer: 1 500 to 9 000 rpm<br>Whisk: 250 to 1 500 rpm                                |                                                                                      | 250 to 1 500 rpm                                                                     |  |       |  |       |  |       |  |





|                 | Electrical data      |               |                  | Dimensions (in mm) |     |    |     | Weight (kg) |       |
|-----------------|----------------------|---------------|------------------|--------------------|-----|----|-----|-------------|-------|
|                 | Variable speed (rpm) | Power (Watts) | Voltage* (Amp.)  | A                  | B   | C  | D   | net         | gross |
| <b>MicroMix</b> | 1 500 to 14 000      | 220           | 230 V/50Hz - 1,1 | 68                 | 430 | 61 | 165 | 1.07        | 1.44  |






| <b>MINI RANGE</b>       | Electrical data      |               |                  | Dimensions (in mm) |     |    |     | Weight (kg) |       |
|-------------------------|----------------------|---------------|------------------|--------------------|-----|----|-----|-------------|-------|
|                         | Variable speed (rpm) | Power (Watts) | Voltage* (Amp.)  | A                  | B   | C  | D   | net         | gross |
| <b>Mini MP 160 V.V.</b> | 2 000 to 12 500      | 240           | 230 V/50Hz - 1,1 | 78                 | 430 | 65 | 160 | 1,41        | 1,94  |
| <b>Mini MP 190 V.V.</b> | 2 000 to 12 500      | 270           | 230 V/50Hz - 1,3 | 78                 | 470 | 65 | 190 | 1,5         | 1,97  |
| <b>Mini MP 240 V.V.</b> | 2 000 to 12 500      | 290           | 230 V/50Hz - 1,5 | 78                 | 520 | 65 | 240 | 1,5         | 2,00  |

| <b>COMPACT RANGE</b> | Electrical data      |               |                  | Dimensions (in mm) |     |    |     | Weight (kg) |       |
|----------------------|----------------------|---------------|------------------|--------------------|-----|----|-----|-------------|-------|
|                      | Variable speed (rpm) | Power (Watts) | Voltage* (Amp.)  | A                  | B   | C  | D   | net         | gross |
| <b>CMP 250 V.V.</b>  | 2 300 to 9 600       | 310           | 230V/50 Hz - 1,4 | 94                 | 619 | 95 | 255 | 3,0         | 4,7   |
| <b>CMP 300 V.V.</b>  | 2 300 to 9 600       | 350           | 230V/50 Hz - 1,6 | 94                 | 669 | 95 | 305 | 3,1         | 4,8   |
| <b>CMP 350 V.V.</b>  | 2 300 to 9 600       | 400           | 230V/50 Hz - 1,7 | 94                 | 727 | 95 | 363 | 3,3         | 5,0   |
| <b>CMP 400 V.V.</b>  | 2 300 to 9 600       | 420           | 230V/50 Hz - 1,9 | 94                 | 786 | 90 | 413 | 3,8         | 4,3   |

| <b>RANGE LARGE</b>       | Electrical data |                      |               |                 | Dimensions (in mm) |      |     |     |     |     | Weight (kg) |       |
|--------------------------|-----------------|----------------------|---------------|-----------------|--------------------|------|-----|-----|-----|-----|-------------|-------|
|                          | Speed (rpm)     |                      | Power (Watts) | Voltage* (Amp.) | A                  | B    | C   | D   | E   | F   | net         | gross |
|                          | Mixer           | Mixer Variable speed |               |                 |                    |      |     |     |     |     |             |       |
| <b>MP 350 Ultra</b>      | 9 500           | -                    | 440           | 230V/50 Hz 2,1  | 125                | 725  | 100 | 360 | -   | -   | 4,6         | 6,1   |
| <b>MP 350 V.V. Ultra</b> | -               | 1 500 to 9 000       | 440           | 230V/50 Hz 2,1  | 125                | 725  | 100 | 360 | 440 | 120 | 4,8         | 6,3   |
| <b>MP 450 Ultra</b>      | 9 500           | -                    | 500           | 230V/50 Hz 2,3  | 125                | 825  | 100 | 460 | -   | -   | 4,9         | 6,4   |
| <b>MP 450 V.V. Ultra</b> | -               | 1 500 to 9 000       | 500           | 230V/50 Hz 2,3  | 125                | 825  | 100 | 460 | 440 | 120 | 5,0         | 6,4   |
| <b>MP 550 Ultra</b>      | 9 000           | -                    | 750           | 230V/50 Hz 3,5  | 125                | 960  | 111 | 560 | -   | -   | 5,2         | 6,7   |
| <b>MP 600 Ultra</b>      | 9 500           | -                    | 850           | 230V/50 Hz 3,4  | 124                | 998  | 110 | 580 | -   | -   | 5,7         | 7,6   |
| <b>MP 800 Turbo</b>      | 9 500           | -                    | 1000          | 230V/50 Hz 4,5  | 125                | 1130 | 110 | 740 | -   | -   | 7,1         | 9     |

| <b>COMBI RANGE</b>        | Electrical data            |                            |               |                 | Dimensions (in mm) |      |     |     |     |     | Weight (kg) |       |
|---------------------------|----------------------------|----------------------------|---------------|-----------------|--------------------|------|-----|-----|-----|-----|-------------|-------|
|                           | Mixer Variable speed (rpm) | Whisk Variable speed (rpm) | Power (Watts) | Voltage* (Amp.) | A                  | B    | C   | D   | E   | F   | net         | gross |
| <b>Mini MP 190 Combi</b>  | 2 000 to 12 500            | 350 to 1 560               | 270           | 230V/50 Hz 1,3  | 78                 | 470  | 65  | 190 | 255 | 100 | 1,95        | 2,68  |
| <b>Mini MP 240 Combi</b>  | 2 000 to 12 500            | 350 to 1 560               | 290           | 230V/50 Hz 1,5  | 78                 | 520  | 65  | 240 | 255 | 100 | 1,98        | 2,70  |
| <b>CMP 250 Combi</b>      | 2 300 to 9 600             | 500 to 1 800               | 310           | 230V/50 Hz 1,4  | 94                 | 667  | 95  | 255 | 390 | 120 | 3,0         | 4,7   |
| <b>CMP 300 Combi</b>      | 2 300 to 9 600             | 500 to 1 800               | 350           | 230V/50 Hz 1,6  | 94                 | 717  | 95  | 305 | 390 | 120 | 3,1         | 4,8   |
| <b>MP 350 Combi Ultra</b> | 1 500 to 9 000             | 250 to 1 500               | 440           | 230V/50 Hz 2,1  | 125                | 775  | 100 | 410 | 440 | 120 | 5,9         | 8,3   |
| <b>MP 450 Combi Ultra</b> | 1 500 to 9 000             | 250 to 1 500               | 500           | 230V/50 Hz 2,3  | 125                | 875  | 100 | 510 | 440 | 120 | 6,1         | 8,5   |
| <b>MP 450 FW Ultra</b>    | -                          | 250 to 1 500               | 500           | 230V/50 Hz 2,3  | 125                | 805  | -   | -   | 440 | 120 | 4,3         | 6,5   |
| <b>MP 450 XL FW Ultra</b> | -                          | 250 to 1 500               | 500           | 230V/50 Hz 2,3  | 150                | 1175 | -   | -   | 815 | 175 | 5,3         | 8,5   |

\*Other voltages available.



**robot coupe®**

HEAD OFFICE, FRENCH, EXPORT AND MARKETING DEPARTMENT:

Tel.: + 33 1 43 98 88 33

email: international@robot-coupe.com

**Robot Coupe Australia:** Tel.: (02) 9478 0300

New Zealand: Tel.: 0800 716161

email: orders@robotcoupe.com.au

**Robot Coupe U.K. LTD:** Tel.: 020 8232 1800

2, Fleming Way, Isleworth, Middlesex TW7 6EU

email: sales@robotcoupe.co.uk

**Robot Coupe U.S.A.:** Tel.: 1-800-824-1646

email: info@robotcoupeusa.com - website: www.robotcoupeusa.com

**www.robot-coupe.com**

**Distributor**



FOODSERVICE EQUIPMENT, SERVICE, PARTS,  
ACCESSORIES, & CONSUMABLES

9705 Kamagong St., San Antonio Village, Makati City

☎ (632) 8897 1569

📧 hkreqquipmentcorp.ph

📧 sales@hkr.com.ph

📧 hkr-equipmentcorporation

📧 hkreqquipmentcorp

🌐 www.hkr.com.ph

**STANDARDS:**

Machines in compliance with :

• The following European directives and related national legislation: 2006/42/CE, 2014/35/UE, 2014/30/UE, 2011/65/UE, 2012/19/UE, 1907/2006/CE, 1935/2004/CE, 2023/2006/CE, 10/2011/UE.

• The following European harmonized standards and standards setting out health and safety rules: EN ISO 12100:2010, EN 60204-1:2006, EN 60529: IP 55, IP 34, EN 12853.

